

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 1 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: **SANITY SCENT – ARTIC NIGHT 0006659MR070**

1.2. Relevant identified uses of the substance or mixture and uses advised against:

1.2.1. Relevant identified uses

Disinfectant. Disinfection of surfaces inside the car.

1.2.2. Uses advised against

No data

1.3. Details of the supplier of the safety data sheet:

DAC srl

Address: Via JF Kennedy 21/A – Viadana (MN) 46019

Tel.: +39 0375820611

Fax: +39 0375785840

e-mail: dac.info@dacsrl.net

Person responsible for MSDS: dac.info@dacsrl.net

1.4. Emergency telephone number:

+39 0375820611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

Flam. Liq. 2 – Flammable liquids, Hazard Category 2; with assigned phrase stating the type of hazard:
 H225 Highly flammable liquid and vapour

Eye Irrit. 2 – Serious eye damage/eye irritation, Hazard Category 2 with assigned phrase stating the type of hazard:

H319 Causes serious eye irritation

Additional hazard:

EUH208 Contains: α -hexyl-cinnamaldehyde, 3,7-dimethyloctan-3-ol, linalyl acetate. May produce an allergic reaction.

Health hazards: product is classified as hazardous to health, eye irritating, inhalation of high concentrations of vapours may cause drowsiness or dizziness, potentially skin sensitizing

Environment hazards: product isn't classified as hazardous to environment

Physical/chemical hazards: product is classified as hazardous – highly flammable liquid, vapours form flammable/explosives mixtures with air

2.2. Label elements

Pictograms:



GHS 02



GHS 07

Signal Word: **Danger**

| | | | | |
|---|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 2 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

Hazard statements:

H225 Highly flammable liquid and vapour
 H319 Causes serious eye irritation

Precautionary Statement:
General:

P102 Keep out of reach of children

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention

Storage:

P403 Store in a well-ventilated place.

Disposal:

-

Additional labelling:

EUH208 Contains: α -hexyl-cinnamaldehyde, 3,7-dimethyloctan-3-ol, linalyl acetate. May produce an allergic reaction.

2.3. Other hazards:

The mixture doesn't meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.
 The mixture doesn't contain SVHC substances above 0,1 % w/w.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1. Substances

Not applicable

3.2. Mixtures

The product is a mixture. Chemical composition: ethanol, fragrance, additives not classified as hazardous or at concentration below applicable concentrations or specific concentration limits.

The classification of hazardous substance contained in the product are given in Table 3.1 of Annex VI to the Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 including its amends, REACH data, the manufacturer and available literature data.

| No CAS | No EC | Index number | REACH number | Chemical name | Quantity | Risk category | H phrases |
|-----------|-----------|--------------|-----------------------|------------------------------------|---------------|---|-----------------------|
| 64-17-5 | 200-578-6 | 603-002-00-5 | 01-2119457610-43-xxxx | ethanol*,** | 65 – 75 % w/w | Flam. Liq. 2, Eye Irrit. 2 | H225, 319 |
| 67-63-0 | 200-661-7 | 603-117-00-0 | 01-2119457558-25-xxxx | propan-2-ol*,*** | < 3 % w/w | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3 | H225, 319, 336 |
| 78-93-3 | 201-159-0 | 606-002-00-3 | 01-2119457290-43-xxxx | butan-2-on*,*** | < 3 % w/w | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3 | H225, 319 336, EUH066 |
| 3734-33-6 | 223-095-2 | not assigned | 01-2120102843-65-xxxx | denatonium benzoate** | < 1 % w/w | Acute Tox. 4 (oral), Acute Tox. 4 (inh), Eye Dam. 1 | H302, 318, 332 |
| 101-86-0 | 202-983-3 | not assigned | no data | α -hexyl-cinnamaldehyde**** | < 1 % w/w | Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 2 | H317, 400, 411 |
| 78-69-3 | 201-133-9 | not assigned | 01-2119454788-21-xxxx | 3,7-dimethyloctan-3-ol***** | < 1 % w/w | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B | H315, 317, 319 |

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 3 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

| | | | | | | | |
|----------|-----------|--------------|-----------------------|---------------------|-----------|--|----------------|
| 115-95-7 | 204-116-4 | not assigned | 01-2119454789-19-xxxx | linalyl acetate**** | < 1 % w/w | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B | H315, 317, 319 |
|----------|-----------|--------------|-----------------------|---------------------|-----------|--|----------------|

M-factor for environment hazardous substance (CAS no 101-86-0)

Acute hazard: M = 1

* - substance for which there are Community workplace exposure limits

** - hazard classification according to REACH data

*** - hazard classification according to Table 3.1 of Annex VI to the Regulation of the European Parliament and Council Regulation (EC) No 1272/2008

**** - hazard classification according to producer data

For the wording of the listed H phrases and hazard category refer to section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General recommendations

The first step is to remove the injured person from a polluted environment. Place in a lateral position. Provide fresh air and heat. Never give anything by mouth to an unconscious person.

In the event of health problems, immediately contact doctor. Show MSDS of product.

Protection of first aid responders

Do not take any action that would create a risk to the rescuer unless suitable training.

Contamination of the skin: Remove contaminated clothing. Contaminated areas of the skin wash thoroughly with soap. In the case of persistent irritation or rash consult a doctor.

Contamination of the eye: flush contaminated eyes with wide-open eyelids a continuous stream of water for about 15 minutes. In the case of persistent irritation consult an ophthalmologist

Inhalation: move to fresh air. Provide oxygen or artificial respiration if needed. In case of breathing problems consult a physician.

Ingestion: Rinse mouth immediately and then drink plenty of water, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms – contact with eyes may cause irritation (redness, tearing, pain). Inhalation of high concentrations of product vapors may cause drowsiness and narcotic effects

Delayed symptoms – prolonged or repeated contact with product may cause allergic skin reaction for very sensible persons

Effects of exposure – no data

4.3. Indication of any immediate medical attention and special treatment needed

Note to Physician: No specific antidote, treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents: CO₂, powders and foam alcohol resistant, water spray, sand

Extinguishing media which must not be used for safety reasons: a strong jet of water – the risk of fire spreading

5.2. Special hazards arising from the mixture

The combustion of the product may produce carbon oxides, other harmful gases and fumes. Avoid inhalation of combustion products, may pose a threat to health.

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 4 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

Vapour may cause flash fire. Vapour may accumulate in low or confined areas, travel a considerable distance to a source of ignition and flash back. Vapours may form explosive mixtures with air. Run-off to sewer may create fire or explosion hazard. Heated containers may explode.

5.3. Advice for fire-fighters

Apply the breathing apparatus and protective clothing for fire fighting or during clean-up work immediately after a fire in an enclosed, or poorly ventilated areas.

General: inform about the fire, call the appropriate emergency services. Remove from the endangered area unauthorized persons, not involved in extinguishing the fire, order evacuation if necessary.

Additional notes: packaging containing product which are not covered by the fire, exposed to fire or high temperature should be if possible removed from the hazardous area or cooled by water spray.

Fire residues and contaminated waters dispose in according to applicable regulations.

Do not introduce contaminated waters into drains.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid direct contact with releasing product. Provide adequate ventilation. Inform about the accident, call the appropriate emergency services (eg Fire Brigade, Police) if necessary. Remove from the hazardous area all persons not taking part in the emergency removal.

For emergency responders

Wear suitable personal preventive equipment.

6.2. Environmental precautions

Do not allow to enter drains, groundwater, soil and open water courses. Spilled product should be protected against spreading using dams or barriers.

6.3. Methods and material for containment and cleaning up

Stop the leak if it's possible and safe. Protect damaged packaging. Try to cut off the source of environmental contamination (seal damaged container and put in an emergency container.) Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labelled and sealed. Clean contaminated floors and objects thoroughly with water, observing environmental regulations.

6.4. Reference to other sections

Personal protective equipment – section 8

Waste disposal – section 13

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Observe good personal hygiene and wear protective clothing in accordance with information set out in section 8. Read the label/instructions carefully before use.


Avoid contact with skin and eyes, avoid vapour/mist/aerosol inhalation. Ensure adequate ventilation /exhaust in the workplace, work in well ventilated areas. Unused containers with product keep closed. Provide easy access to running water, emergency and first aid equipment.

Special measures for protection against fire and explosion:

Prevent formation of flammable /explosive concentrations of vapours in the air, eliminate sources of ignition – don't use open flames, don't smoke, don't use sparking tools and fabrics susceptible to electrification; protect tanks from heat, install explosion-proof electrical equipment.

Industrial hygiene

- ensure good ventilation (overall and local exhausted ventilation)

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 5 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

- ensure place for eyes and skin rinsing
- wash hands with soap and water before eating, smoking and after work
- immediately remove spilled product
- use general caution while working with chemical substances

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the closed original container properly labelled in accordance with local/federal regulations. Protect from direct sunshine, heat. Recommended storage temperature: < 30°C. Keep the product away from children, food, beverage and animal feed.

7.3. Specific end use(s)

See section 1.2.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational Exposure Limit Value (Poland):

| Hazardous Ingredients | No CAS | LTEL, mg/m ³ | STEL, mg/m ³ |
|-----------------------|---------|-------------------------|-------------------------|
| ethanol | 64-17-5 | 1900 | - |
| propan-2-ol* | 67-63-0 | 900 | 1200 |
| butan-2-on* | 78-93-3 | 450 | 900 |

* - absorption of substances through the skin may be as important as when inhaled

Procedures monitoring concentrations of hazardous compounds in the air and air quality in the workplace - if they are available and appropriate for given workplace - in accordance with the relevant local or European Standards, taking into account the conditions prevailing in the place of exposure and appropriate measurement methodology adapted to the conditions of work.

Allowable concentration of hazardous ingredient in biological material:

Not determined for product

DNEL, PNEC value:

Not determined for product

DNELs for workers (regarding ethanol):

| Exposure pattern | Route | Value |
|----------------------------|------------|-----------------------|
| Long-term, systemic effect | Inhalation | 950 mg/m ³ |
| Long-term, systemic effect | Dermal | 343 mg/kg b.w./day |

DNELs for the general population (regarding ethanol):

| Exposure pattern | Route | Value |
|----------------------------|------------|-----------------------|
| Long-term, systemic effect | Inhalation | 114 mg/m ³ |
| Long-term, systemic effect | Dermal | 206 mg/kg b.w./day |
| Long-term, systemic effect | Oral | 87 mg/kg b.w./day |

PNECs (regarding ethanol):

PNEC aqua freshwater: 0,96 mg/dm³

PNEC aqua marine water: 0,79 mg/dm³

PNEC STP: 580 mg/dm³

PNEC sediment freshwater: 3,6 mg/kg sediment d.w.

PNEC sediment marine water: 2,9 mg/kg sediment d.w.

PNEC soil: 0,63 mg/kg soil d.w.

| | | | | |
|---|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 6 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

8.2. Exposure controls

Appropriate engineering controls:

Use engineering controls to reduce air contamination to permissible exposure level.

Explosion-proof general and local exhaust ventilation.

Personal protection:

a) Respiratory protection – is not necessary under normal conditions with sufficient ventilation, required during exposure to high concentrations of vapours. Wear mask or respirator completed with the filter type A

b) Hand protection – when used as intended, no protection is required – product is intended for hand disinfection.

For operations with large quantities of product (packaging, transport, etc.) – it's recommended use of protective gloves. Wear protective gloves made of: butyl rubber, neoprene, nitrile rubber, polyvinylchloride, thickness min. 0,4 – 0,7mm. The Breakthrough Time > 480 min. Material of gloves must be resistant to the product. As the product is a mixture of several substances, the resistance of material of gloves can not be calculated in advance and therefore has to be checked before use. From the manufacturer's advice should be obtained information about the time of the penetration of substances and such time must be respected. The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. It is recommended to change gloves and replace them immediately if you notice any signs of wear, damage (rupture, perforation) or changes in appearance (colour, flexibility, shape).

c) Eye protection – required protective glasses or full face protection at operation with product which poses risk of eye contamination

d) Skin protection – recommended protective clothing

e) Thermal hazards – not applicable

EN standards for personal protective equipment

EN 140:1998/AC:1999 Respiratory protective devices – Half masks and quarter masks – Requirements, testing, marking

EN 143:2000/A1:2006 EN 143:2000 Respiratory protective devices – Particle filters – Requirements, testing, marking

EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles - Requirements, testing, marking

EN 420:2003+A1:2009 Protective gloves - General requirements and test methods

EN 374-1: 2003 Protective gloves against chemicals and microorganisms – Part 1: Terminology and performance requirements

EN 374-2: 2003 Protective gloves against chemicals and microorganisms – Part 2: Determination of resistance to penetration 3.

EN 374-3: 2003 Protective gloves against chemicals and microorganisms – Part 3: Determination of resistance to permeation by chemicals

EN 166:2001 Personal eye-protection – Specifications

EN 172:1994 / A2:2001 Personal eye protection – Sunglare filters for industrial use

EN ISO 4007:2012 Personal protective equipment – Eye and face protection – Vocabulary


EN ISO 13688:2013 Protective clothing – General requirements

EN 14605:2005+A1:2009 Protective clothing against liquid chemicals – performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])

EN ISO 20345:2011 Personal protective equipment - Safety footwear

When the concentration of hazardous substances is fixed and known, the selection of personal protective equipment should be made taking into account the concentration of the substance present in a given workplace, exposure time, the activities performed by the employee and the recommendations given by the manufacturer of personal protective equipment. In an emergency situation or where the concentration in the workplace is not known, use personal protection isolating body (tight suit completed with isolating respiratory protective equipment.)

Applied personal protective equipment must meet the requirements acc. to Regulation (EC) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 7 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

Environmental exposure controls:

Do not allow to enter large amounts of product into ground water, sewage, waste water or soil.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Appearance: | liquid |
| Odour: | characteristic |
| Odour threshold: | no data |
| pH: | no data |
| Melting point/freezing point: | no data |
| Initial boiling point and boiling range: | 78°C |
| Flash point: | < 20°C |
| Evaporation rate: | no data |
| Flammability: | highly flammable vapour and liquid |
| Upper/lower flammability or explosive limits: | LEL: 2,8 % v/v UEL: 19,0 % v/v – regarding ethanol |
| Vapour pressure: | no data |
| Vapour density: | no data |
| Density (20°C): | 0,8 – 0,9 g/cm ³ |
| Solubility in water: | very good |
| Solubility in other solvents: | good in alcohols |
| Partition coefficient: n-octanol/water: | no data |
| Auto-ignition temperature: | doesn't concern |
| Decomposition temperature: | no data |
| Viscosity: | no data |
| Explosive properties: | doesn't concern |
| Oxidising properties: | doesn't concern |

9.2. Other information no data

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Under the properly conditions of storage and handling – no reactivity

10.2. Chemical stability

Stable under normal conditions (see Section 7 - storage conditions)

10.3. Possibility of hazardous reactions

No hazardous reactions. When stored and handled according to prescribed.

10.4 Conditions to avoid

Direct sunlight, heat, sources of ignition

10.5. Incompatible materials

Strong oxidizers

10.6 Hazardous decomposition products

Under normal conditions of use are not known

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

Acute toxicity:

Acute Oral Toxicity: No data available for product

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 8 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

Acute Dermal Toxicity: No data available for product

Acute Inhalation Toxicity: No data available for product

Classification of acute toxicity of product was made by calculation method acc. to Annex I point 3.1.3.6

ATE value (estimated) after swallowing > 2000 mg/kg – product isn't classified as acute toxicity (swallowing) hazardous acc. to Regulation (EC) No 1272/2008

ATE value (estimated) after skin contact > 2000 mg/kg – product isn't classified as acute toxicity (skin contact) hazardous acc. to Regulation (EC) No 1272/2008

ATE value (estimated) after inhalation > 20 mg/dm³/4h (vapours) – product isn't classified as acute toxicity (inhaled) hazardous acc. to Regulation (EC) No 1272/2008

Skin corrosion/irritation: data not significant for classification

Serious eye damage/irritation: product is classified as irritant (hazard category 2)

Respiratory or skin sensitisation: product isn't classified as skin sensitizing. It contains allergens: α-hexyl-cinnamaldehyde, 3,7-dimethyloctan-3-ol, linalyl acetate at content higher then 1/10 of classification concentration limits

Germ cell mutagenicity: hazardous ingredients of the product aren't mentioned on the list of mutagenic substances

Carcinogenicity: hazardous ingredients of the product aren't mentioned on the list of carcinogenic substances.

Reproductive toxicity: hazardous ingredients of the product aren't mentioned on the list of reproductive toxicity substances

STOT-single exposure: data not significant for classification, inhalation of high concentrations of vapours may cause drowsiness and dizziness

STOT-repeated exposure: data not significant for classification

Aspiration hazard: data not significant for classification

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data for product

12.2. Persistence and degradability

No data for product

12.3. Bioaccumulative potential

No data for product

12.4. Mobility in soil

No data for product

12.5. Results of PBT and vPvB assessment:

The product and its components do not meet the PBT or vPvB criteria in accordance with Annex XIII of the REACH Regulation.

12.6. Other adverse effects

Product isn't classified as hazardous to the aquatic environment. Take care that the product has not penetrated into the soil, drinking water sources, water tanks etc.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods:

Dispose of waste in accordance with all Federal, State and Local regulations.

Waste of product: communicate with the manufacturer of the product on the possibility of processing waste. If it's not possible, deliver it to utilization in plants permitted to waste collection, transport, waste recovery and disposal. Do not empty into drains. Do not waste landfilled. Recovery or disposal of waste product should be made in accordance with applicable regulations.

Disposing of the packaging: it is prohibited to burn them on the ground. Reusable packaging after cleaning can be further used if necessary.

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 9 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

SECTION 14: TRANSPORT INFORMATION


14.1. UN number: 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID N.O.S (ethanol)
14.3. Transport hazard class: 3
14.4. Packing group: II
14.5. Environmental hazards: no
14.6. Special precautions for user: see section 7.1.
Overland transport ADR
 Classification code: F1
 Warning label: 3
 Code of movement restriction through underpass: D/E
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code: no data



SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council from 18.12.2006 concerning the Registration, Evaluation, Authorization and Restriction from Chemicals (REACH)
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Commission Regulation (EC) No 790/2009 of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 286/2011 of 10 March 2011 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 618/2012 of 10 July 2012 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 487/2013 of 8 May 2013 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 944/2013 of 2 October 2013 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 605/2014 of 5 June 2014 amending, for the purposes of introducing hazard and precautionary statements in the Croatian language and its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2015/1221 of 24 July 2015 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2016/918 of 19 May 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2016/1179 of 19 July 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2017/776 of 4 May 2017 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

| | | | | |
|--|---|------------------------------------|--------------|-----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 10 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

- European agreement concerning international road transport of dangerous products (ADR)
Federal, State and Local regulations.

15.2. Chemical safety assessment

Chemical safety assessment was not made for the product

SECTION 16. OTHER INFORMATION

Explanation of symbols and phrases referring hazardous substances contained in product:

Flam. Liq. 2 Flammable liquids, Hazard Category 2
 Acute Tox. 4 (oral) Acute Toxicity (swallowing), Hazard Category 4
 Acute Tox. 4 (inh) Acute Toxicity (inhalation), Hazard Category 4
 Skin Irrit. 2 Skin corrosion/irritation, Hazard Category 2
 Eye Dam. 1 Serious eye damage/eye irritation, Hazard Category 1
 Eye Irrit. 2 Serious eye damage/eye irritation, Hazard Category 2
 Skin Sens. 1B Skin Sensitizing, Hazard Category 1B
 STOT SE 3 Specific target organ toxicity – Single exposure, Hazard Category
 Aquatic Acute 1 Hazardous to the aquatic environment – Acute, Hazard Category 1
 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic, Hazard Category 2

H225 Highly flammable liquid and vapour
 H302 Harmful if swallowed
 H315 Causes skin irritation
 H317 May cause an allergic skin reaction
 H318 Causes serious eye damage
 H319 Causes serious eye irritation
 H332 Harmful if inhaled
 H336 May cause drowsiness or dizziness
 H400 Very toxic to aquatic life
 H411 Toxic to aquatic life with long lasting effects
 EUH066 Repeated exposure may cause skin dryness or cracking

Explanation of abbreviations and acronyms used in the MSDS:

PBT – persistence, bioaccumulation potential and toxicity
 vPvB – very high durability and very bioaccumulative
 CAS – Chemical Abstracts Service
 WE – the number assigned to chemicals in the European Inventory of Existing Commercial Chemical Substances or European List of Notified Chemical Substances, or in the list of chemicals listed in the publication of "No-longer polymers".
 STEL – short term exposure limits maximum of a substance harmful to health in the workplace
 LTEL – long term exposure limits maximum of a substance harmful to health in the workplace
 LEL – lower explosive limit
 UEL – upper explosive limit
 LD50 – lethal dose 50%
 LC50 – lethal concentration 50%
 UN number – identification number of the material (the number of UN, UN number)
 ADR – European Agreement concerning the international carriage of dangerous goods by road

MSDS was prepared in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
 Classification of mixture was made based on content of hazardous components, according to the Regulation (EC) No 1272/2008.

Source of data: this MSDS was prepared based on MSDS of ingredients, data of product, our knowledge and experience according to actual legislation.

| | | | | |
|--|---|------------------------------------|--------------|-----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 11 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

ECHA European Chemicals Agency, <http://echa.europa.eu/>

Recommendation and restriction of use: Use according to label. Additional safety information available at producer. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 1 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: **SANITY SCENT – COCKTAIL NIGHT 0006660MR070**

1.2. Relevant identified uses of the substance or mixture and uses advised against:

1.2.1. Relevant identified uses

Disinfectant. Disinfection of surfaces inside the car.

1.2.2. Uses advised against

No data

1.3. Details of the supplier of the safety data sheet:

DAC srl

Address: Via JF Kennedy 21/A – Viadana (MN) 46019

Tel.: +39 0375820611

Fax: +39 0375785840

e-mail: dac.info@dacsrl.net

Person responsible for MSDS: dac.info@dacsrl.net

1.4. Emergency telephone number:

+39 0375820611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

Flam. Liq. 2 – Flammable liquids, Hazard Category 2; with assigned phrase stating the type of hazard:
 H225 Highly flammable liquid and vapour

Eye Irrit. 2 – Serious eye damage/eye irritation, Hazard Category 2 with assigned phrase stating the type of hazard:

H319 Causes serious eye irritation

Additional hazard:

EUH208 Contains: patchouli ethanone, linalool. May produce an allergic reaction.

Health hazards: product is classified as hazardous to health, eye irritating, inhalation of high concentrations of vapours may cause drowsiness or dizziness, potentially skin sensitizing

Environment hazards: product isn't classified as hazardous to environment

Physical/chemical hazards: product is classified as hazardous – highly flammable liquid, vapours form flammable/explosives mixtures with air

2.2. Label elements

Pictograms:



GHS 02



GHS 07

Signal Word: Danger

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 2 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

Hazard statements:

H225 Highly flammable liquid and vapour
 H319 Causes serious eye irritation

Precautionary Statement:
General:

P102 Keep out of reach of children

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention

Storage:

P403 Store in a well-ventilated place.

Disposal:

-

Additional labelling:

EUH208 Contains: patchouli ethanone, linalool. May produce an allergic reaction.

2.3. Other hazards:

The mixture doesn't meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.
 The mixture doesn't contain SVHC substances above 0,1 % w/w.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1. Substances

Not applicable

3.2. Mixtures

The product is a mixture. Chemical composition: ethanol, fragrance, additives not classified as hazardous or at concentration below applicable concentrations or specific concentration limits.

The classification of hazardous substance contained in the product are given in Table 3.1 of Annex VI to the Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 including its amends, REACH data, the manufacturer and available literature data.

| No CAS | No EC | Index number | REACH number | Chemical name | Quantity | Risk category | H phrases |
|------------|-----------|--------------|-----------------------|--|---------------|---|------------------------|
| 64-17-5 | 200-578-6 | 603-002-00-5 | 01-2119457610-43-xxxx | ethanol*,** | 65 – 75 % w/w | Flam. Liq. 2, Eye Irrit. 2 | H225, 319 |
| 67-63-0 | 200-661-7 | 603-117-00-0 | 01-2119457558-25-xxxx | propan-2-ol*,*** | < 3 % w/w | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3 | H225, 319, 336 |
| 78-93-3 | 201-159-0 | 606-002-00-3 | 01-2119457290-43-xxxx | butan-2-on*,*** | < 3 % w/w | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3 | H225, 319, 336, EUH066 |
| 3734-33-6 | 223-095-2 | not assigned | 01-2120102843-65-xxxx | denatonium benzoate** | < 1 % w/w | Acute Tox. 4 (oral), Acute Tox. 4 (inh), Eye Dam. 1 | H302, 318, 332 |
| 54464-57-2 | 259-174-3 | not assigned | no data | 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one / patchouli ethanone**** | < 1 % w/w | Skin Irrit. 2, Skin Sens. 1B, Aquatic Chronic 1 | H315, 317, 410 |
| 78-70-6 | 201-134-4 | 603-235-00-2 | 01-2119474016-42-xxxx | linalool**** | < 1 % w/w | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B | H315, 317, 319 |

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 3 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

M-factor for environment hazardous substance (CAS no 54464-57-2)

Acute hazard: M = 1

* - substance for which there are Community workplace exposure limits

** - hazard classification according to REACH data

*** - hazard classification according to Table 3.1 of Annex VI to the Regulation of the European Parliament and Council Regulation (EC) No 1272/2008

**** - hazard classification according to producer data

For the wording of the listed H phrases and hazard category refer to section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General recommendations

The first step is to remove the injured person from a polluted environment. Place in a lateral position. Provide fresh air and heat. Never give anything by mouth to an unconscious person.

In the event of health problems, immediately contact doctor. Show MSDS of product.

Protection of first aid responders

Do not take any action that would create a risk to the rescuer unless suitable training.

Contamination of the skin: Remove contaminated clothing. Contaminated areas of the skin wash thoroughly with water with soap. In the case of persistent irritation or rash consult a doctor.

Contamination of the eye: flush contaminated eyes with wide-open eyelids a continuous stream of water for about 15 minutes. In the case of persistent irritation consult an ophthalmologist

Inhalation: move to fresh air. Provide oxygen or artificial respiration if needed. In case of breathing problems consult a physician.

Ingestion: Rinse mouth immediately and then drink plenty of water, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms – contact with eyes may cause irritation (redness, tearing, pain). Inhalation of high concentrations of product vapors may cause drowsiness and narcotic effects

Delayed symptoms – prolonged or repeated contact with product may cause allergic skin reaction for very sensible persons

Effects of exposure – no data

4.3. Indication of any immediate medical attention and special treatment needed

Note to Physician: No specific antidote, treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents: CO₂, powders and foam alcohol resistant, water spray, sand

Extinguishing media which must not be used for safety reasons: a strong jet of water – the risk of fire spreading

5.2. Special hazards arising from the mixture

The combustion of the product may produce carbon oxides, other harmful gases and fumes. Avoid inhalation of combustion products, may pose a threat to health.

Vapour may cause flash fire. Vapour may accumulate in low or confined areas, travel a considerable distance to a source of ignition and flash back. Vapours may form explosive mixtures with air. Run-off to sewer may create fire or explosion hazard. Heated containers may explode.

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 4 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

5.3. Advice for fire-fighters

Apply the breathing apparatus and protective clothing for fire fighting or during clean-up work immediately after a fire in an enclosed, or poorly ventilated areas.

General: inform about the fire, call the appropriate emergency services. Remove from the endangered area unauthorized persons, not involved in extinguishing the fire, order evacuation if necessary.

Additional notes: packaging containing product which are not covered by the fire, exposed to fire or high temperature should be if possible removed from the hazardous area or cooled by water spray.

Fire residues and contaminated waters dispose in according to applicable regulations.

Do not introduce contaminated waters into drains.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid direct contact with releasing product. Provide adequate ventilation.

Inform about the accident, call the appropriate emergency services (eg Fire Brigade, Police) if necessary.

Remove from the hazardous area all persons not taking part in the emergency removal.

For emergency responders

Wear suitable personal preventive equipment.

6.2. Environmental precautions

Do not allow to enter drains, groundwater, soil and open water courses. Spilled product should be protected against spreading using dams or barriers.

6.3. Methods and material for containment and cleaning up

Stop the leak if it's possible and safe. Protect damaged packaging. Try to cut off the source of environmental contamination (seal damaged container and put in an emergency container.) Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labelled and sealed. Clean contaminated floors and objects thoroughly with water, observing environmental regulations.

6.4. Reference to other sections

Personal protective equipment – section 8

Waste disposal – section 13

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Observe good personal hygiene and wear protective clothing in accordance with information set out in section 8. Read the label/instructions carefully before use.

Avoid contact with skin and eyes, avoid vapour/mist/aerosol inhalation. Ensure adequate ventilation /exhaust in the workplace, work in well ventilated areas. Unused containers with product keep closed. Provide easy access to running water, emergency and first aid equipment.

Special measures for protection against fire and explosion:

Prevent formation of flammable /explosive concentrations of vapours in the air, eliminate sources of ignition – don't use open flames, don't smoke, don't use sparking tools and fabrics susceptible to electrification; protect tanks from heat, install explosion-proof electrical equipment.

Industrial hygiene

- ensure good ventilation (overall and local exhausted ventilation)
- ensure place for eyes and skin rinsing
- wash hands with soap and water before eating, smoking and after work
- immediately remove spilled product
- use general caution while working with chemical substances

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 5 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the closed original container properly labelled in accordance with local/federal regulations.
 Protect from direct sunshine, heat. Recommended storage temperature: < 30°C.
 Keep the product away from children, food, beverage and animal feed.

7.3. Specific end use(s)

See section 1.2.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational Exposure Limit Value (Poland):

| Hazardous Ingredients | No CAS | LTEL, mg/m ³ | STEL, mg/m ³ |
|-----------------------|---------|-------------------------|-------------------------|
| ethanol | 64-17-5 | 1900 | - |
| propan-2-ol* | 67-63-0 | 900 | 1200 |
| butan-2-on* | 78-93-3 | 450 | 900 |

* - absorption of substances through the skin may be as important as when inhaled

Procedures monitoring concentrations of hazardous compounds in the air and air quality in the workplace - if they are available and appropriate for given workplace - in accordance with the relevant local or European Standards, taking into account the conditions prevailing in the place of exposure and appropriate measurement methodology adapted to the conditions of work.

Allowable concentration of hazardous ingredient in biological material:

Not determined for product

DNEL, PNEC value:

Not determined for product

DNELs for workers (regarding ethanol):

| Exposure pattern | Route | Value |
|----------------------------|------------|-----------------------|
| Long-term, systemic effect | Inhalation | 950 mg/m ³ |
| Long-term, systemic effect | Dermal | 343 mg/kg b.w./day |

DNELs for the general population (regarding ethanol):

| Exposure pattern | Route | Value |
|----------------------------|------------|-----------------------|
| Long-term, systemic effect | Inhalation | 114 mg/m ³ |
| Long-term, systemic effect | Dermal | 206 mg/kg b.w./day |
| Long-term, systemic effect | Oral | 87 mg/kg b.w./day |

PNECs (regarding ethanol):

PNEC aqua freshwater: 0,96 mg/dm³

PNEC aqua marine water: 0,79 mg/dm³

PNEC STP: 580 mg/dm³

PNEC sediment freshwater: 3,6 mg/kg sediment d.w.


PNEC sediment marine water: 2,9 mg/kg sediment d.w.

PNEC soil: 0,63 mg/kg soil d.w.

8.2. Exposure controls

Appropriate engineering controls:

Use engineering controls to reduce air contamination to permissible exposure level.
 Explosion-proof general and local exhaust ventilation.

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 6 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

Personal protection:

a) Respiratory protection – is not necessary under normal conditions with sufficient ventilation, required during exposure to high concentrations of vapours. Wear mask or respirator completed with the filter type A

b) Hand protection – when used as intended, no protection is required – product is intended for hand disinfection.

For operations with large quantities of product (packaging, transport, etc.) – it's recommended use of protective gloves. Wear protective gloves made of: butyl rubber, neoprene, nitrile rubber, polyvinylchloride, thickness min. 0,4 – 0,7mm. The Breakthrough Time > 480 min. Material of gloves must be resistant to the product. As the product is a mixture of several substances, the resistance of material of gloves can not be calculated in advance and therefore has to be checked before use. From the manufacturer's advice should be obtained information about the time of the penetration of substances and such time must be respected. The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. It is recommended to change gloves and replace them immediately if you notice any signs of wear, damage (rupture, perforation) or changes in appearance (colour, flexibility, shape).

c) Eye protection – required protective glasses or full face protection at operation with product which poses risk of eye contamination

d) Skin protection – recommended protective clothing

e) Thermal hazards – not applicable

EN standards for personal protective equipment

EN 140:1998/AC:1999 Respiratory protective devices – Half masks and quarter masks – Requirements, testing, marking

EN 143:2000/A1:2006 EN 143:2000 Respiratory protective devices – Particle filters – Requirements, testing, marking

EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles - Requirements, testing, marking

EN 420:2003+A1:2009 Protective gloves - General requirements and test methods

EN 374-1: 2003 Protective gloves against chemicals and microorganisms – Part 1: Terminology and performance requirements

EN 374-2: 2003 Protective gloves against chemicals and microorganisms – Part 2: Determination of resistance to penetration 3.

EN 374-3: 2003 Protective gloves against chemicals and microorganisms – Part 3: Determination of resistance to permeation by chemicals

EN 166:2001 Personal eye-protection – Specifications

EN 172:1994 / A2:2001 Personal eye protection – Sunglare filters for industrial use

EN ISO 4007:2012 Personal protective equipment – Eye and face protection – Vocabulary

EN ISO 13688:2013 Protective clothing – General requirements

EN 14605:2005+A1:2009 Protective clothing against liquid chemicals – performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])

EN ISO 20345:2011 Personal protective equipment - Safety footwear

When the concentration of hazardous substances is fixed and known, the selection of personal protective equipment should be made taking into account the concentration of the substance present in a given workplace, exposure time, the activities performed by the employee and the recommendations given by the manufacturer of personal protective equipment. In an emergency situation or where the concentration in the workplace is not known, use personal protection isolating body (tight suit completed with isolating respiratory protective equipment.)

Applied personal protective equipment must meet the requirements acc. to Regulation (EC) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

Environmental exposure controls:

Do not allow to enter large amounts of product into ground water, sewage, waste water or soil.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

| | |
|--|--|
| Appearance: | liquid |
| Odour: | characteristic |
| Odour threshold: | no data |
| pH: | no data |
| Melting point/freezing point: | no data |
| Initial boiling point and boiling range: | 78°C |
| Flash point: | < 20°C |
| Evaporation rate: | no data |
| Flammability: | highly flammable vapour and liquid |
| Upper/lower flammability or explosive limits: | LEL: 2,8 % v/v UEL: 19,0 % v/v – regarding ethanol |
| Vapour pressure: | no data |
| Vapour density: | no data |
| Density (20°C): | 0,8 – 0,9 g/cm ³ |
| Solubility in water: | very good |
| Solubility in other solvents: | good in alcohols |
| Partition coefficient: n-octanol/water: | no data |
| Auto-ignition temperature: | doesn't concern |
| Decomposition temperature: | no data |
| Viscosity: | no data |
| Explosive properties: | doesn't concern |
| Oxidising properties: | doesn't concern |

9.2. Other information no data

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Under the properly conditions of storage and handling – no reactivity

10.2. Chemical stability

Stable under normal conditions (see Section 7 - storage conditions)

10.3. Possibility of hazardous reactions

No hazardous reactions. When stored and handled according to prescribed.

10.4 Conditions to avoid

Direct sunlight, heat, sources of ignition

10.5. Incompatible materials

Strong oxidizers

10.6 Hazardous decomposition products

Under normal conditions of use are not known


SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects:****Acute toxicity:**

Acute Oral Toxicity: No data available for product

Acute Dermal Toxicity: No data available for product

Acute Inhalation Toxicity: No data available for product

Classification of acute toxicity of product was made by calculation method acc. to Annex I point 3.1.3.6

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 8 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

ATE value (estimated) after swallowing > 2000 mg/kg – product isn't classified as acute toxicity (swallowing) hazardous acc. to Regulation (EC) No 1272/2008

ATE value (estimated) after skin contact > 2000 mg/kg – product isn't classified as acute toxicity (skin contact) hazardous acc. to Regulation (EC) No 1272/2008

ATE value (estimated) after inhalation > 20 mg/dm³/4h (vapours) – product isn't classified as acute toxicity (inhaled) hazardous acc. to Regulation (EC) No 1272/2008

Skin corrosion/irritation: data not significant for classification

Serious eye damage/irritation: product is classified as irritant (hazard category 2)

Respiratory or skin sensitisation: product isn't classified as skin sensitizing. It contains allergens: patchouli ethanone, linalool at content higher than 1/10 of classification concentration limits

Germ cell mutagenicity: hazardous ingredients of the product aren't mentioned on the list of mutagenic substances

Carcinogenicity: hazardous ingredients of the product aren't mentioned on the list of carcinogenic substances.

Reproductive toxicity: hazardous ingredients of the product aren't mentioned on the list of reproductive toxicity substances

STOT-single exposure: data not significant for classification, inhalation of high concentrations of vapours may cause drowsiness and dizziness

STOT-repeated exposure: data not significant for classification

Aspiration hazard: data not significant for classification

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data for product

12.2. Persistence and degradability

No data for product

12.3. Bioaccumulative potential

No data for product

12.4. Mobility in soil

No data for product

12.5. Results of PBT and vPvB assessment:

The product and its components do not meet the PBT or vPvB criteria in accordance with Annex XIII of the REACH Regulation.

12.6. Other adverse effects

Product isn't classified as hazardous to the aquatic environment. Take care that the product has not penetrated into the soil, drinking water sources, water tanks etc.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods:

Dispose of waste in accordance with all Federal, State and Local regulations.

Waste of product: communicate with the manufacturer of the product on the possibility of processing waste. If it's not possible, deliver it to utilization in plants permitted to waste collection, transport, waste recovery and disposal. Do not empty into drains. Do not waste landfilled. Recovery or disposal of waste product should be made in accordance with applicable regulations.

Disposing of the packaging: it is prohibited to burn them on the ground. Reusable packaging after cleaning can be further used if necessary.

| | | | | |
|--|---|------------------------------------|--------------|----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 9 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

SECTION 14: TRANSPORT INFORMATION

14.1. UN number: 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID N.O.S (ethanol)
14.3. Transport hazard class: 3
14.4. Packing group: II
14.5. Environmental hazards: no
14.6. Special precautions for user: see section 7.1.
Overland transport ADR
 Classification code: F1
 Warning label: 3
 Code of movement restriction through underpass: D/E
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code: no data



SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council from 18.12.2006 concerning the Registration, Evaluation, Authorization and Restriction from Chemicals (REACH)
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Commission Regulation (EC) No 790/2009 of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 286/2011 of 10 March 2011 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 618/2012 of 10 July 2012 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 487/2013 of 8 May 2013 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 944/2013 of 2 October 2013 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 605/2014 of 5 June 2014 amending, for the purposes of introducing hazard and precautionary statements in the Croatian language and its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2015/1221 of 24 July 2015 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2016/918 of 19 May 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2016/1179 of 19 July 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) 2017/776 of 4 May 2017 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

| | | | | |
|--|---|------------------------------------|--------------|-----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 10 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

- European agreement concerning international road transport of dangerous products (ADR)
Federal, State and Local regulations.

15.2. Chemical safety assessment

Chemical safety assessment was not made for the product

SECTION 16. OTHER INFORMATION

Explanation of symbols and phrases referring hazardous substances contained in product:

Flam. Liq. 2 Flammable liquids, Hazard Category 2
 Acute Tox. 4 (oral) Acute Toxicity (swallowing), Hazard Category 4
 Acute Tox. 4 (inh) Acute Toxicity (inhalation), Hazard Category 4
 Skin Irrit. 2 Skin corrosion/irritation, Hazard Category 2
 Eye Dam. 1 Serious eye damage/eye irritation, Hazard Category 1
 Eye Irrit. 2 Serious eye damage/eye irritation, Hazard Category 2
 Skin Sens. 1B Skin Sensitizing, Hazard Category 1B
 STOT SE 3 Specific target organ toxicity – Single exposure, Hazard Category
 Aquatic Acute 1 Hazardous to the aquatic environment – Acute, Hazard Category 1

H225 Highly flammable liquid and vapour
 H302 Harmful if swallowed
 H315 Causes skin irritation
 H317 May cause an allergic skin reaction
 H318 Causes serious eye damage
 H319 Causes serious eye irritation
 H332 Harmful if inhaled
 H336 May cause drowsiness or dizziness
 H400 Very toxic to aquatic life
 EUH066 Repeated exposure may cause skin dryness or cracking

Explanation of abbreviations and acronyms used in the MSDS:

PBT – persistence, bioaccumulation potential and toxicity
 vPvB – very high durability and very bioaccumulative
 CAS – Chemical Abstracts Service
 WE – the number assigned to chemicals in the European Inventory of Existing Commercial Chemical Substances or European List of Notified Chemical Substances, or in the list of chemicals listed in the publication of "No-longer polymers".
 STEL – short term exposure limits maximum of a substance harmful to health in the workplace
 LTEL – long term exposure limits maximum of a substance harmful to health in the workplace
 LEL – lower explosive limit
 UEL – upper explosive limit
 LD50 – lethal dose 50%
 LC50 – lethal concentration 50%
 UN number – identification number of the material (the number of UN, UN number)
 ADR – European Agreement concerning the international carriage of dangerous goods by road

MSDS was prepared in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
 Classification of mixture was made based on content of hazardous components, according to the Regulation (EC) No 1272/2008.

Source of data: this MSDS was prepared based on MSDS of ingredients, data of product, our knowledge and experience according to actual legislation.
 ECHA European Chemicals Agency, <http://echa.europa.eu/>

| | | | | |
|--|---|------------------------------------|--------------|-----------------|
|  | MATERIAL SAFETY DATA SHEET prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH) | | | Page 11 / 11 |
| | Edition 01 | Date of issue 01.06.2020 | Revised - | |

Recommendation and restriction of use: Use according to label. Additional safety information available at producer. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.